

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	96	token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:40
S2	13	reject AND token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:20
S3	0	"Security Scopes and Profiles"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 16:57
S4	12	security token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:21
S5	3	access control AND security token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:25
S6	57	access control AND security token AND "726".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:33
S7	12	access control AND security token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:03
S8	2	"6061684".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:38

## EAST Search History

S9	2	"6088805".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:40
S10	2	"6141754".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:41
S11	2	"6279111".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:43
S12	2	"6381602".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:44
S13	2	"6412070".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:45
S14	2	"6434607".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:46
S15	2	"6446206".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:46
S16	3	"6449633".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:47

## EAST Search History

S17	3	"6513721".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:48
S18	2	"6625603".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:48
S19	2	"5446903".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:49
S20	2	"5838903".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:50
S21	2	"6014666".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:50
S22	2	"6058426".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:52
S23	2	"6233576".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:53
S24	2	"6473800".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:53

## EAST Search History

S25	2	"6658573".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:54
S26	2	"5850446".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:55
S27	2	"5996076".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:56
S28	2	"6002767".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:56
S29	2	"6163772".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:57
S30	2	"6253027".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:58
S31	129	resource AND access control AND token AND "726/1,16,17,21,27,30".ccis. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:03
S32	13	metadata AND resource AND access control AND token AND "726/1,16,17,21,27,30".ccis. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:07

## EAST Search History

S33	101	message AND resource AND access control AND token AND "726/1,16,17,21,27,30". ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:14
S34	62	subject AND message AND resource AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:16
S35	70	subject AND message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:40
S36	115	message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:37
S37	82	(reject\$3 OR deny OR denied OR refus\$3) AND message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:00
S38	92	(reject\$3 OR deny OR denied OR refus\$3 OR permission) AND message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30". ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:15
S39	7	(reject\$3 OR deny OR denied OR refus\$3 OR permission) AND message AND resource identifier AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:32
S40	0	xpath AND message AND resource identifier AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30". ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:34

## EAST Search History

S41	0	xpath AND message AND (resource identifier OR "URL") AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:34
S42	51	message AND (resource identifier OR "URL") AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:34
S43	51	message AND (resource identifier OR "URL" OR uniform resource locator) AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:39
S44	46	message AND (resource identifier OR "URL" OR uniform resource locator) AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 11:46
S45	0	out of band AND message AND (resource identifier OR "URL" OR uniform resource locator) AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 11:47
S46	0	out of band AND message AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:55
S47	0	out of band AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:56
S48	67	secure channel AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:56

## EAST Search History

S49	25	token AND secure channel AND "726/1,16,17,21,27,30".cccls AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:57
S50	25	message AND token AND (secure channel) AND "726/1,16,17,21,27,30".cccls AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:00
S51	1	message AND token AND second WITH (secure channel) AND "726/1,16,17,21,27,30".cccls AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:01
S52	0	message AND token AND second NEAR (secure channel) AND "726/1,16,17,21,27,30".cccls AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:01
S53	0	message AND token AND another NEAR (secure channel) AND "726/1,16,17,21,27,30".cccls AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:01
S54	1629	xpath OR "xml" path language AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:41
S55	5	(xpath OR "xml" path language) AND "726/1,16,17,21,27,30".cccls AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:42
S56	30	(xpath OR "xml" path language) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:43

## EAST Search History

S57	39	XRML AND token AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 09:52
S58	0	XPATH AND XRML AND token AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 09:53
S59	38	security AND XRML AND token AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 09:54
S60	2	"6854056".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 10:36
S61	123	certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 10:49
S62	81	"x.509" AND certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 10:50
S63	0	resource identifier AND "x.509" AND certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:43
S64	17	(URL OR URI) AND "x.509" AND certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:43



## EAST Search History

S65	32	reject\$3 AND "X.509" AND certificate extension\$1 AND ("726".clas. OR "713". clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:44
S66	1	xpath AND "X.509" AND certificate extension\$1 AND ("726".clas. OR "713". clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:57
S67	17	XML AND "X.509" AND certificate extension\$1 AND ("726".clas. OR "713". clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:59
S68	16	"20020138738".pn. OR "20020144107".pn. OR "7139911".pn. OR "20030009662".pn. OR "5712914".pn. OR "6754829".pn. OR "20040162980".pn. "6615347".pn. OR "20050257045".pn. OR "20060095767".pn. OR "7143285".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 16:08
S69	71	kerberos AND "x.509" AND certificate AND (726/1-4,9,16,17,20,21,26,27,30.ccls.   713/155-157,159,168-170,172,173,182, 185.ccls.   380/59.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 09:16
S70	71	kerberos AND "x.509" AND certificate\$1 AND (726/1-4,9,16,17,20,21,26,27,30.ccls.   713/155-157,159,168-170,172,173,182, 185.ccls.   380/59.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:01
S71	43	token AND kerberos AND "x.509" AND certificate\$1 AND (726/1-4,9,16,17,20,21, 26,27,30.ccls.   713/155-157,159,168-170, 172,173,182,185.ccls.   380/59.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:01
S72	3	((plurality   multiple   multitude   several   at least one   first   second   many) NEAR token\$1) AND kerberos AND "x.509" AND certificate\$1 AND (726/1-4,9,16,17,20,21, 26,27,30.ccls.   713/155-157,159,168-170, 172,173,182,185.ccls.   380/59.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:05

## EAST Search History

S73	40	((plurality   multiple   multitude   several   at least one   first   second   many) NEAR (token\$1   certificate\$1)) AND kerberos AND "x.509" AND (726/1-4,9,16,17,20,21, 26,27,30.ccls.   713/155-157,159,168-170, 172,173,182,185.ccls.   380/59.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:05
S74	150	(della-libera.in.   gajjala.in.   janczuk.in.   waingold.in.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:06
S75	31	(della-libera.in.   gajjala.in.   janczuk.in.   waingold.in.) AND token	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:06
S76	1	(della-libera.in.   gajjala.in.   janczuk.in.   waingold.in.) AND token AND claim	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:06
S77	31	(della-libera.in.   gajjala.in.   janczuk.in.   waingold.in.) AND token	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:07
S78	30	(della-libera.in.   gajjala.in.   janczuk.in.   waingold.in.) AND token AND security	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:07
S79	3	(della-libera.in.   gajjala.in.   janczuk.in.   waingold.in.) AND token AND security scheme\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 15:07
S80	223	process\$3 AND multiple AND security schemes AND (726/1-4,9,16,17,20,21,26, 27,30.ccls.   713/155-157,159,168-170, 172,173,182,185.ccls.   380/59.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 16:34

## EAST Search History

S81	130	(certificate   token) AND process\$3 AND multiple AND security schemes AND (726/1-4,9,16,17,20,21,26,27,30.ccls.   713/155-157,159,168-170,172,173,182, 185.ccls.   380/59.ccls.) AND (@pd< "20040216" or @ad< "20040216" or @prad< "20040216" or @rlad< "20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 16:34
S82	46	(claim   access rights   security information) AND (certificate   token) AND process\$3 AND multiple AND security schemes AND (726/1-4,9,16,17,20,21,26, 27,30.ccls.   713/155-157,159,168-170, 172,173,182,185.ccls.   380/59.ccls.) AND (@pd< "20040216" or @ad< "20040216" or @prad< "20040216" or @rlad< "20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 16:35
S83	40	((plurality   multiple   multitude   several   at least one   first   second   many) NEAR (token\$1   certificate\$1   "x.509")) AND kerberos AND "x.509" AND (726/1-4,9,16, 17,20,21,26,27,30.ccls.   713/155-157,159, 168-170,172,173,182,185.ccls.   380/59. ccls.) AND (@pd< "20040216" or @ad< "20040216" or @prad< "20040216" or @rlad< "20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 16:39
S84	40	((plurality   multiple   multitude   several   at least one   first   second   many) NEAR (token\$1   certificate\$1   "x.509"   public key certificate\$1)) AND kerberos AND "x. 509" AND (726/1-4,9,16,17,20,21,26,27, 30.ccls.   713/155-157,159,168-170,172, 173,182,185.ccls.   380/59.ccls.) AND (@pd< "20040216" or @ad< "20040216" or @prad< "20040216" or @rlad< "20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 16:39
S85	44	((plurality   multiple   multitude   several   at least one   first   second   many) NEAR (token\$1   certificate\$1   "x.509"   public key certificate\$1   ticket\$1)) AND kerberos AND "x.509" AND (726/1-4,9,16,17,20,21, 26,27,30.ccls.   713/155-157,159,168-170, 172,173,182,185.ccls.   380/59.ccls.) AND (@pd< "20040216" or @ad< "20040216" or @prad< "20040216" or @rlad< "20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 16:40
S86	37	((plurality   multiple   multitude   several   at least one   first   second   many) NEAR (certificate\$1   "x.509"   public key certificate\$1)) AND kerberos AND "x.509" AND (726/1-4,9,16,17,20,21,26,27,30.ccls.   713/155-157,159,168-170,172,173,182, 185.ccls.   380/59.ccls.) AND (@pd< "20040216" or @ad< "20040216" or @prad< "20040216" or @rlad< "20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 16:50

## EAST Search History

S87	430	(authoriz\$5   authenticat\$3) AND group\$3 AND encrypt\$3 AND username AND password AND (726/1-4,9,16,17,20,21,26,27,30.ccls.   713/155-157,159,168-170,172,173,182,185.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 17:06
S88	336	resource AND (authoriz\$5   authenticat\$3) AND group\$3 AND encrypt\$3 AND username AND password AND (726/1-4,9,16,17,20,21,26,27,30.ccls.   713/155-157,159,168-170,172,173,182,185.ccls.   380/59.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 17:07
S89	6	decrypt\$3 AND resource AND (authoriz\$5   authenticat\$3) AND group\$3 AND (encrypt\$3 NEAR username AND password) AND (726/1-4,9,16,17,20,21,26,27,30.ccls.   713/155-157,159,168-170,172,173,182,185.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 17:08
S90	228	decrypt\$3 AND resource AND (authoriz\$5   authenticat\$3) AND group\$3 AND encrypt\$3 AND username AND password AND (726/1-4,9,16,17,20,21,26,27,30.ccls.   713/155-157,159,168-170,172,173,182,185.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 17:10
S91	141	decrypt\$3 AND resource AND (authoriz\$5   authenticat\$3) AND group\$3 AND encrypt\$3 AND username AND password AND (726/2-4,16,17,21,26-28.ccls.   713/182,183.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 17:11
S92	36	decrypt\$3 AND resource AND (authoriz\$5   authenticat\$3) AND user group\$3 AND encrypt\$3 AND username AND password AND (726/2-4,16,17,21,26-28.ccls.   713/182,183.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 17:11
S93	4	decrypt\$3 AND resource AND (authoriz\$5   authenticat\$3) AND user group\$3 AND (encrypt\$3 NEAR username) AND (encrypt\$3 NEAR password) AND (726/2-4,16,17,21,26-28.ccls.   713/182,183.ccls.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 17:13

## EAST Search History

S94	23	hash\$3 AND decrypt\$3 AND resource AND (authoriz\$5   authenticat\$3) AND user group\$3 AND encrypt\$3 AND username AND password AND (726/2-4,16,17,21, 26-28.cds.   713/182,183.cds.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 17:14
S95	40	hash\$3 AND resource AND (authoriz\$5   authenticat\$3) AND user group\$3 AND ((encrypt\$3   decrypt\$3) NEAR (username   password)) AND ("726".clas.   "713".clas.   "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/12 17:15